
SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product Name: Weldtite Bike Cleaner
- Product Part Number: 03128,03129 (1 Litre); 03131 (5 Ltr); 03133 (25 ltr)
- UFI: Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Cleaning agent

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Weldtite Products Ltd
- Address of Supplier: Unit 9, Harrier Road, Humber Bridge Industrial Estate, Barton upon Humber, North Lincolnshire, DN18 5RP, UK
- Telephone: +44 (0)1652 660000
- Email: Sales@weldtite.co.uk Web: www.weldtite.cc

EU Authorised Representative: Comply Express Unipessoal Limitada, StartUp Madeira, EV141, Campus daPenteada, 9020 105 Funchal, Portugal
Tel: (+351) 300509778
Email : info@complyexpress.com

1.4 Emergency telephone number

- Emergency Telephone: UK: Contact the NHS Information Service (dial 111, 24hr service)
 - Company: **44 (0)1652 660000 (08.30 to 17.00)
-

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- CLP: The product is not classified as hazardous according to (EC) Nr. 1272/2008 [CLP]

2.2 Label elements

- Signal Word: None

Hazard statements

None

Precautionary statements

P102 - Keep out of reach of children.

Supplemental Hazard information (EU)

Composition information in accordance with EC Regulation 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents: Anionic surfactants < 5%, amphoteric surfactants < 5%, cationic surfactants < 5%, Preservative Benzisothiazolinone, perfumes

2.3 Other hazards

- Not a PBT according to REACH Annex XIII
 - The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Common Delegated Regulation (EU) 2017/2010 or Common Regulation (EU) 2018/605 at a concentration equal or greater than 0.1%.
-

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Sodium (Xylene and 4ethylbenzene) Sulphonate

CAS Number: 1300-72-7
EC Number: 215-090-9
Concentration: <1%
H Statements: H319
Categories: Eye Irrit. 2
REACH Registration Number: 01-2119513350-56-0008

Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18(unsaturated acyl) derivs., hydroxides, inner salts

CAS Number: 61789-40-0
EC Number: 263-058-8
Concentration: <1%
H Statements: H318, H412
Categories: Eye Dam. 1, Aquatic Chronic 3
REACH Registration Number: 01-2119489410-39-XXXX

SECTION 4: First aid measures

4.1 Description of first aid measures

Contact with eyes

If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
If eye irritation persists: Get medical advice/attention.

Contact with skin

Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water

Ingestion

Rinse mouth with water (only if the person is conscious)
Give plenty of water to drink
Do not induce vomiting

Inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest

4.2 Most important symptoms and effects, both acute and delayed

- The ingestion of significant quantities may cause dry throat
- The ingestion of significant quantities may cause nausea/vomiting

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
- Eyewash bottles should be available

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

SECTION 5: Firefighting measures (....)

- May give off noxious and toxic fumes in a fire

5.3 Advice for firefighters

- Wear Breathing Apparatus
 - Wear protective gloves/protective clothing/eye protection/face protection.
 - Keep container(s) exposed to fire cool, by spraying with water
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8

6.2 Environmental precautions

- Do not allow to enter public sewers and watercourses
- Contain spillage by any means possible

6.3 Methods and material for containment and cleaning up

- Absorb spillage in earth or sand
- Place in sealable container
- Remove contaminated material to safe location for subsequent disposal

6.4 Reference to other sections

- See Section 8
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Handle and open container with care
- Ensure adequate ventilation

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed, in a cool, well ventilated place

7.3 Specific end use(s)

- See Section 1.2
-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- No exposure limits have been set for this substance

Sodium (Xylene and 4ethylbenzene) Sulphonate

DNEL (Consumer; dermal, long term local effects): 0.048 mg/kg
DNEL (Consumer; inhalational, long term systemic effects): 68.1 mg/m³
DNEL (Consumer; oral, long term systemic effects): 3.8 mg/kg bw/day
DNEL (Industry; dermal, long term systemic effects): 136.25 mg/kg bw/day
DNEL (Industry; inhalational, long term systemic effects): 26.9 mg/m³

Sodium (Xylene and 4ethylbenzene) Sulphonate

PNEC (STP): 100 mg/l

8.2 Exposure controls

- Wear eye protection.
 - Eyewash bottles should be available
-

SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical properties (....)

9.1 Information on basic physical and chemical properties

- Physical state: Liquid
- Colour: Various
- Odour: Characteristic odour
- Melting point/Range: Not applicable
- Boiling Point/Range: 100 °C
- Flammability: Not flammable
- pH: 10.3 - 10.4 typical
- Solubility in water: Completely soluble in water
- Density: Not applicable
- Freezing point: 0 °C
- Explosive Properties: Non-explosive
- Decomposition temperature: Not applicable
- Viscosity - not applicable
- Partition coefficient : n-Octanol/water - not applicable
- Relative density: 1.0 typical@ 20°C

9.2 Other information

- No information available
-

SECTION 10: Stability and reactivity

10.1 Reactivity

- No hazardous reactions known if used for its intended purpose

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from heat

10.5 Incompatible materials

- Avoid contact with acid
- Avoid contact with oxidising substances

10.6 Hazardous decomposition products

- Decomposition products may include toxic fumes
-

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not Classified

Sodium (Xylene and 4ethylbenzene) Sulphonate

LC₅₀ (inhalation, rat): >6.41 mg/l (4 hr)

LD₅₀ (dermal, rabbit): >2000 mg/kg

LD₅₀ (oral, rat): >7200 mg/kg

Skin corrosion/irritation

Based on the available data, the classification criteria are not met

SECTION 11: Toxicological information (....)

Serious eye damage/irritation

Based on the available data, the classification criteria are not met

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met

Germ cell mutagenicity

Based on the available data, the classification criteria are not met

Carcinogenicity

Based on the available data, the classification criteria are not met

Reproductive toxicity

Based on the available data, the classification criteria are not met

STOT (specific target organ toxicity) - single exposure

Based on the available data, the classification criteria are not met

STOT (specific target organ toxicity) - repeated exposure

Based on the available data, the classification criteria are not met

Aspiration hazard

Based on the available data, the classification criteria are not met

11.2 Information on other hazards

- No information available

SECTION 12: Ecological information

12.1 Toxicity

Sodium (Xylene and 4ethylbenzene) Sulphonate

IC₅₀ (algae): 230 mg/l (72 hr)

EC₅₀ (daphnia): 1000 mg/l (48 hr)

LC₅₀ (fish): >1000 mg/l (96 hr)

Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered) and C18(unsaturated acyl) derivs., hydroxides, inner salts

IC₅₀ (algae): 2.4 mg/l (72 hr)

EC₅₀ (daphnia): 1.9 mg/l (48 hr)

LC₅₀ (fish): 1.1 mg/l (96 hr)

12.2 Persistence and degradability

- Readily biodegradable

12.3 Bioaccumulative potential

- Low bioaccumulation potential

12.4 Mobility in soil

- This substance will leach into the soil

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

SECTION 12: Ecological information (....)

- The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Common Delegated Regulation (EU) 2017/2010 or Common Regulation (EU) 2018/605 at a concentration equal or greater than 0.1%.

12.7 Other adverse effects

- No information available
-

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
-

SECTION 14: Transport information

Not classified as hazardous for transport

14.1 UN number or ID number

- UN No.: Not applicable

14.2 UN proper shipping name

- Proper Shipping Name: Not applicable

14.3 Transport hazard class(es)

- Hazard Class: Not applicable

14.4 Packing group

- Packing Group: Not applicable

14.5 Environmental hazards

- Not Classified

14.6 Special precautions for user

- Not Classified

14.7 Maritime transport in bulk according to IMO instruments

- Not applicable
-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- The COSHH Regulations apply in the UK
- The Health and Safety at Work Act applies in the UK
- Where UK Regulations are quoted, then for other nations the equivalent regulations should be identified
- The CLP Regulations apply in the UK

15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed
 - This Safety Data Sheet does not constitute a workplace risk assessment
-

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H318: Causes serious eye damage. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

SECTION 16: Other information (....)

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

Use good personal hygiene practices

Do not mix with any other products

Due to major changes made, this Safety Data Sheet should be read entirely as new.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use.